Sudan solar pv system sizing



Can a 1 GW solar PV power plant be built in Sudan?

In this work, simulations of a solar photovoltaic (PV) system located in Sudan are carried out using PVsyst7.0. By comparing the power production, performance ratio and price, the ideal area for setting up a 1-GW grid-attached solar PV power plant in the north region is identified.

Which type of solar PV system is best for Sudan?

HOMER simulation results demonstrated that the optimal type of PV for Sudan is the Studer VarioTrack VT-65with Generic PV. The utilization of a solar PV system will avoid the production of approximately 27 million kg/year of pollutants and will reduce the cost of energy to USD\$0.08746/kWh.

Does Sudan need a solar power station?

Developing nations have a critical need to increase electricity supply. Sudan has much unrealized potential for generating solar energy, particularly in the northern region. This research study focuses on designing a 1-GW solar power station in northern Sudan using the PVsyst7.0 software program.

Is a grid-connected PV solar plant feasible in Sudan?

As a result, the proposed grid-connected PV solar plant is considered economically, technically and environmentally feasible in Sudan. More details concerning the electrical layout, possible mechanical load, dimensions for the mounting structure and also protection, disconnection switches and metering are needed.

What is the average solar irradiance in Sudan?

The average daily solar irradiance in Sudan varies in between 5.8 and 7.2 kilowatt hours per square metre[2]. The solar irradiance needed to create solar power is readily available in almost all regions of Sudan. The solar irradiance is highest in northern Sudan (Fig. 1).

Is solar energy feasible in Sudan?

Situated in the sunbelt,Sudan is one of the largest countries in Africa endowed with an extremely high solar irradiation potential. However,no workhas been done in the literature with a strategic context to study specifically the feasibility of renewable energy systems in Sudan despite the abundance of solar resource.

The availability of wind over 24 h can spread the load and reduce the system size; thus, a smaller wind system might be able to replace a bigger solar system; however, the cost of a wind generator compared to solar PV is as yet at a higher level for applications on a small scale.

The costs of electricity for the two systems are: USD\$ 0.08746/kWh for solar PV and USD\$ 0.9623/kWh for the diesel-powered generator system. In this sense, implementing a solar PV system will contribute COE savings of around USD\$ 0.87484/kWh. This analysis was performed considering a fixed value for diesel fuel

Sudan solar pv system sizing



price (USD\$ 0.159/L).

The use of stand-alone photovoltaic (PV) systems is restricted mainly due to their high initial costs. This problem is alleviated by optimal sizing as it results in reliable and cost-effective ...

In this work, simulations of a solar photovoltaic (PV) system located in Sudan are carried out using PVsyst7.0. By comparing the power production, performance ratio and price, the ideal area for setting up a 1-GW ...

This research study focuses on designing a 1-GW solar power station in northern Sudan using the PVsyst7.0 software program. To determine the appropriate location for the solar-energy station,...

Solar PV system sizing. 1. Determine power consumption demands. The first step in designing a solar PV system is to find out the total power and energy consumption of all loads that need to be supplied by the solar PV system as follows: 1.1 Calculate total Watt-hours per day for each appliance used.

Downloadable (with restrictions)! Hybrid power systems (HPS) based on photovoltaic (PV), diesel generators (DG), and energy storage systems (ESS) are widely used solutions for the energy supply of off-grid or isolated areas. The main hybridizing challenges are reliability, investment and operating costs, and carbon emissions problems. Since HPS are usually sized to provide ...

An optimal sizing method for standalone photovoltaic power systems. Solar Energy, 38 (1987) 341-51. 5. Chapmann, R. N., Development of sizing nomograms for stand alone photovoltaic/storage systems. Solar Energy, 43 (1989) 71-6. 6. Gordon, J. M., Optimal sizing of stand alone photovoltaic solar power systems. Solar Cells, 20 (1987) 295-313. 7.

PV System Size = Power Output / Derate Factor 4.01 kW = 3.21 kW / 0.8 From this analysis, a homeowner looking to completely offset an average monthly energy usage of 500 kWh/mo would need a 4.01 kW PV system.

Appendix B. Solar PV system sizing worksheet. Example: #1: Determine the average amount of electricity used in kilowatt-hours per year (kWh/year) based on a loads assessment list or your historic utility bills. A monthly average is used in the example, but you could also add your monthly totals. [Refer to the Load Assessment for more info]

The solar PV project has con-tributed to enhanced awareness of the social and economic potential of PV power and has boosted activities by the National Energy Committee of the National Assembly to enact a Solar Energy Act. In the annual 2004 national development budget, the parliament passed a resolution SUDAN: PROMOTING SOLAR PHOTOVOLTAIC ...

Abstract- Qatar declared that by 2020 solar energy would produce at least 2% of its total generated electric power (EP). The known solar power plants EP at utility scale level are concentrating solar power (using

Sudan solar pv system sizing



parabolic trough collectors, linear Fresnel collector, and solar tower), photovoltaic (PV), and integrated solar combined cycle using fossil fuel (natural gas) ...

technical and economic analysis of stand-alone solar PV systems in South Sudan. Therefore, it is necessary to assess the technical and economic performance of stand-alone PV ... PV system, the size of the system"s components had to be determined. Sizing stand-alone PV systems differs from grid-connected systems [22]. Stand-alone PV systems ...

Section 2: The Photovoltaic PV System Design Process Solar Panel Placement. Effective PV system design involves strategic solar panel placement. Aim for maximum sun exposure all year round, considering the seasonal changes in the sun's trajectory. Commonly, this means south-facing panels in the northern hemisphere. System Sizing

However, rooftop solar PV has not yet been widely adopted in many sub-Saharan African countries, such as Sudan, although they are endowed with high solar radiation and in dire need of additional ...

Step 4: Choose the right Solar Charge Controller. Whether you opt for a PWM charge controller or an MPPT charge controller, three specifications must be considered to ensure you choose the right controller your system:. Output Current rating (Amps): This represents the maximum amps the controller can output.

Web: https://nowoczesna-promocja.edu.pl

